

232115 to 232628—Continued**232318 to 232344. ORYZOPSIS HYMENOIDES (Roem. & Schult.) Ricker****Indian ricegrass.**

- 232318.** No. 29. Arid sagebrush slope, Beckwourth, northside of Beckwourth School, Plumas County, California. Heavy seeder.
- 232319.** No. 88. Volcanic soil on desert plain, 26 miles southwest of Rome, Route 95, Malheur County, Oregon.
- 232320.** No. 91. Six miles west of Pacific Time Line, Route 95, Malheur County, Oregon. Plants late maturing, 1.5 feet high (4 inches higher than typical form).
- 232321.** No. 108. Sand dunes, Route 95, 10 miles north of Winnemucca, Humboldt County, Nevada. Plant 1 foot high; seeds light brown.
- 232322.** No. 121. Scattered along road, 33 miles east of Elko, Route 40, Elko County, Nevada. Seeds large, black, shattered.
- 232323.** No. 123. Sagebrush flat between two ranges, 13 miles east of Wells, Elko County, Nevada. Plants to 2 feet high.
- 232324.** No. 124. Higher elevations of Great Salt Lake Desert, 86 miles west of Salt Lake City, Tooele County, Utah.
- 232325.** No. 141. Dry, clay sagebrush slope, 17 miles east of Evanston, Route 30, Uinta County, Wyoming. Elevation 6,000 feet. Densely caespitose.
- 232326.** No. 142. Sagebrush and rabbit-brush plains, west of Green River, Sweetwater County, Wyoming.
- 232327.** No. 147. Sandy hillside, Death Valley Canyon, 1 mile north of Tower Rock (Ashley National Forest), Daggett County, Utah (Associated with *Stipa* spp.).
- 232328.** No. 156. Huslinger Creek, 3 miles south of Summit Springs Ranger Station (Ashley National Forest), Daggett County, Utah. Elevation 8,000 feet.
- 232329.** No. 160. Twenty-five miles east of Rangely, Route 64, Rio Blanco County, Colorado. Small seed type.
- 232330.** No. 161. Twenty-five miles east of Rangely, Route 64, Rio Blanco County, Colorado. Large seed type.
- 232331.** No. 162. Dry sandy mesa above Green River, east of Jensen, Uintah County, Utah. Elevation 5,000 feet. Plants abundant; large seed type.
- 232332.** No. 165. Thirty miles west of Trappers Lake, Route 132, White River Valley, Rio Blanco County, Colorado. Small seed type.
- 232333.** No. 188. Eight miles north of New Castle on Buford Road, Garfield County, Colorado. Small seed type.
- 232334.** No. 204. Colorado National Monument, Cold Shivers Point, 7 miles southwest of Grand Junction, Mesa County, Colorado. Large seed type.
- 232335.** No. 205. Rabbit-brush dry plains, 2 miles west of Woodside, Route 50, Emery County, Utah. Large seed type.
- 232336.** No. 207. Isolated mesa, 7 miles northwest of Woodside, Route 50, Emery County, Utah. Large seed type; seeds light-brown.
- 232337.** No. 208. Seventeen miles northwest of Woodside near Carbon County line, Route 50, Emery County, Utah. Large seed type.
- 232338.** No. 235. Near Pinedale, road to Half Moon Lake, Route 187, Sublette County, Wyoming.
- 232339.** No. 252. Dry slope below aspen grove, Half Moon Lake, Sublette County, Wyoming. Elevation 8,000 feet. Plant typical; seeds large, brown.